

SAMARITAN 350P/360P

COMPACT, EASY-TO-USE, LIFESAVING TECHNOLOGY

The samaritan® PAD family of public access defibrillators is designed especially for use in public areas by providing a sophisticated defibrillator for adult or pediatric use inside a lightweight and easy-to-operate system, and offers all the key features of the samaritan PAD products.

The samaritan PAD 360P is a fully automatic defibrillator designed to analyse heart rhythm and automatically deliver a life-saving electrical shock (if needed). The SAM 350P is a semi-automatic variant, which will advise the rescuer exactly when they need to press the shock button. This allows a faster shock and puts the rescuer more in control of the situation.

EASY-TO-FOLLOW GUIDES


User-friendly. The samaritan PAD features easy-to-understand visual and voice prompts that guide a user through the process including CPR coaching.

Always ready. A System Status Ready Indicator flashes to show that the complete system is operational and ready for use. The device automatically runs a self-check each week.

360P automatic shock. The samaritan PAD 360P only has one button – ON/OFF, ensuring straightforward operation for all levels of rescuer. After analysing heart rhythm, the samaritan PAD 360P will, if needed, automatically deliver a shock eliminating the need for the rescuer to push a shock button.



COMPACT IN SIZE, BIG ON ABILITY



Highest level of dust/moisture protection. The samaritan PAD has a rating of IP56, providing the highest level of protection from dust or water ingress in the industry.

Durable. The samaritan PAD 500P resists shock and vibration and comes with a shock-proof carry case free of charge

Advanced technology. The samaritan PAD 500P utilizes proprietary electrode technology, advanced and stable firmware, and patented SCOPE™* Biphasic Technology to assess rhythm and recommend a shock if defibrillation is necessary.

*See overleaf for more information



PAD PAK TECHNOLOGY

Low cost of ownership.

Pad Pak cartridge has a shelf life of four years from date of manufacture, offering significant savings over competitive defibrillator brands that require separate battery and pad units.




Combined expiration date.

Cartridge combines battery and electrode pads, with one expiration date to monitor.

Great for children.

The HeartSine PAD's built-in intelligence and unique pediatric Pad-Pak ensure the appropriate energy level is delivered for children.

TECHNICAL SPECIFICATIONS



PHYSICAL	WITH PAD-PAK™ INSERTED
Size:	20 cm x 18.4 cm x 4.8 cm
Weight:	1.1kg including Pad-Pak battery

Weight: 1.1kg including Pad-Pak battery

DEFIBRILLATOR

Waveform:

Self-Compensating Output Pulse Envelope
(SCOPE) Biphasic waveform. Optimized biphasic
escalating waveform compensates energy, slope and
envelope for patient impedance

PATIENT ANALYSIS SYSTEM

Method:	Evaluates patient's ECG, signal quality, electrode contact integrity and patient impedance to determine if defibrillation is required
Sensitivity/Specifity:	Meets ISO 60601-2-4

ENVIRONMENTAL

Operating/Standby Temperature:	0°C to 50°C
Temporary Transportation Temerature:	-10°C to 50°C for up to two days. Unit must be returned to standby/operating temperature for 24 hours before use.
Relative Humidity:	5% to 95% (non-condensing)
Water Resistance:	IEC 60529/EN 60529 IP56
Altitude	0 – 4,575 meters
Shock	MIL STD 810F Method 516.5, Procedure I (40 Gs)
Vibration:	MIL STD 810F Method 514.5+, Category 4 Truck Transportation – US Highways, Category 7 Aircraft – Jet 737 & General Aviation (Exposure
EMC:	EN 60601-1-2
Radiated emissions:	EN55011
Electrostatic Discharge RF Immunity:	EN61000-4-3 80MHZ-2.5GHZ (10 V/m)
Magnetic Field Immnity:	EN61000-4-8 (3 A/m)
Aircraft:	RTCA/DO-160F, Section 21 (Category M)
Drop Tested:	1 metre

ENERGY SELECTION

Adult:	Shock 1: 150J;	Shock 2: 150J;	Shock 3: 200J
Paediatric:	Shock 1: 50J;	Shock 2: 50J;	Shock 3: 50J

CHARGING TIME

New Battery:	Typically 150J in < 8 seconds, 200J in < 12 seconds
After 6 Discharges:	Typically 150J in < 8 seconds, 200J in < 12 seconds

EVENT DOCUMENTATION

Туре:	Internal Memory
Memory Capacity	90 minutes of ECG (full disclosure) and event/incident recording
Playback capabilities:	Custom USB cable directly connected to PC and Saver™ EVO Windows-based data review software

MATERIALS USED

Housing	ABS, Santoprene
Electrodes	Hydrogel, Silver, Aluminium and Polyester

PAD PAK - ELECTRODE & BATTERY CARTRIDGE

Shelf Life:	4 years from manufacture date
Weight:	0.2kg
Size:	10 cm x 13.3 cm x 2.4 cm
Battery Type:	Lithium Manganese Dioxide (LiMnO2)
Capacity:	> 60 shocks at 200J 18V, 1.5 Amp Hrs
Electrodes:	HeartSine samaritan® disposable defibrillation pads are supplied as standard with each device
Placement:	Anterior-lateral (Adult); Anterior-posterior (Paediatric)
Active Gel Area:	100 cm2
Cable Length:	1 metre



The HeartSine samaritan has lower running costs than ANY other AED across its 8 year warranty period



